

TITL COLLABORATIVE STUDY #25

SAMPLE C3

GPC LIGHTS KS SP

SMOKING RUN	TPM (mg/cigt)	PUFF COUNT	WATER (mg/cigt)	NICOTINE (mg/cigt)	TAR (mg/cigt)	CO (mg/cigt)
1	11.4	7.1	1.11	0.62	9.7	10.8
	11.3	7.0	1.04	0.62	9.6	10.8
2	11.8	7.2	1.02	0.65	10.1	10.6
	11.2	7.2	1.01	0.60	9.6	10.2
3	12.0	7.1	1.24	0.64	10.1	10.9
	12.0	7.3	1.34	0.67	9.9	10.2
4	11.8	7.2	1.38	0.63	9.8	10.6
	12.0	7.4	1.26	0.68	10.0	11.0
5	12.2	7.3	1.38	0.66	10.2	11.1
	11.4	7.3	1.44	0.61	9.2	10.2
6	11.1	7.3	1.16	0.63	9.3	11.0
	11.4	7.6	1.30	0.66	9.4	10.2
7	12.1	7.5	1.44	0.64	10.0	10.7
	11.5	7.1	1.25	0.62	9.6	10.3
8	12.1	7.6	1.61	0.66	9.8	10.6
	11.1	6.9	1.10	0.62	9.4	10.3
9	11.6	7.0	1.36	0.64	9.6	10.8
	13.0	7.6	1.69	0.70	10.6	11.8
10	12.0	7.5	1.47	0.65	9.8	10.3
	11.1	7.0	1.08	0.64	9.4	10.3
	TPM (mg/cigt)	PUFF COUNT	WATER (mg/cigt)	NICOTINE (mg/cigt)	TAR (mg/cigt)	CO (mg/cigt)
Average.	11.7	7.2	1.28	0.64	9.8	10.6
Stand. Dev.	0.48	0.22	0.193	0.024	0.34	0.41
Count	20	20	20	20	20	20

PM3000880750